Epilepsy Res., 5 (1990) 255–257
Elsevier

Author Index to Volume 5 (1990)

Annegers, J.F., Blakley, S.A., Hauser, W.A. and Kurland, L.T., Recurrence of febrile convulsions in a population-based cohort, 209

Babb, T.L., see Davenport, C.J., 28
Baldy-Moulinier, M., see N'Gouemo, P., 92
Baldy-Moulinier, M., see Valmier, J., 229
Bardy, A.H., see Gaily, E.K., 217
Baruzzi, A., see Gallassi, R., 160
Ben-Ari, Y., see Cherubini, E., 18
Ben-Menachem, E., Persson, L. and Mumford, J., Long-term evaluation of once daily vigabatrin in drug-resistant partial epilepsy, 240
Bertram, E.H. and Lothman, E.W., NMDA receptor antagonists and limbic status epilepticus: a comparison with standard anticonvulsants, 177
Blahd, W., see Swartz, B.E., 61
Blakley, S.A., see Annegers, J.F., 209
Blatt-Lyon, B., see Møller, A., 155
Blayac, J.P., see Valmier, J., 229
Brown, W.J., see Davenport, C.J., 28

Carl, G.F., see Holmes, G.L., 125
Chen, M.J., Vigil, A., Savage, D.D. and Weiss, G.K., Transient elevation of amygdala α_2 adrenergic receptor binding sites during the early stages of amygdala kindling, 85
Cheng, L.K., see Johnson, D.N., 185
Cherubini, E., Rovira, C., Ben-Ari, Y. and Nistri, A., Effects of kainate on the excitability of rat hippocampal neurones, 18
Chesnut, T.J. and Swann, J.W., Suppression of 4-aminopyridine-induced epileptogenesis by $GABA_A$ agonist muscimol, 8

Dam, M., see Møller, A., 155
Davenport, C.J., Brown, W.J. and Babb, T.L., GABAergic neurons are spared after intrahippocampal kainate in the rat, 28
Delgado-Escueta, A.V., see Swartz, B.E., 61, 146
Depaulis, A., Liu, Z., Vergnes, M., Marescaux, C., Micheletti, G. and Warter, J.M., Suppression of spontaneous generalized non-convulsive seizures in the rat by microinjection of GABA antagonists into the superior colliculus, 192
Duncan, J.S., see Yepez-Lasso, R., 247

Feenstra, M.G.P., see Van Rijn, C.M., 199
Feldstein, P., see Swartz, B.E., 61, 146
Finnerty, G., see Patsalos, P.N., 235
Folly, G., see Seregi, A., 131
Friel, P.N., see Yerby, M.S., 223

Gaily, E.K., Granström, M.-L., Hiilesmaa, V.K. and Bardy, A.H., Head circumference in children of epileptic mothers: contributions of drug exposure and genetic background, 217
Gallagher, B.S., see Holmes, G.L., 125
Gallassi, R., Morreale, A., Lorusso, S., Procaccianti, G., Lugaresi, E. and Baruzzi, A., Cognitive effects of valproate, 160
Gee, M., see Swartz, B.E., 61
Gennings, C., see Kapetanovic, I.M., 112
Granström, M.-L., see Gaily, E.K., 217

Hälgren, E., see Swartz, B.E., 61, 146
Hauser, W.A., see Annegers, J.F., 209
Heldt, R., see Seregi, A., 131
Hertting, G., see Seregi, A., 131
Hiel, J.A.P., see Van Rijn, C.M., 199
Hiilesmaa, V.K., see Gaily, E.K., 217
Holmes, G.L., Thompson, J.L., Carl, G.F., Gallagher, B.S., Hoy, J. and McLaughlin, M., Effect of 2-amino-7-phosphonoheptanoic acid (APH) on seizure susceptibility in the prepubescent and mature rat, 125
Hommes, O.R., see Van Rijn, C.M., 199
Hoy, J., see Holmes, G.L., 125

Jensen, L.H., see Møller, A., 155
Johnson, D.N., Osman, M.A., Cheng, L.K. and Swinyard, E.A., Pharmacodynamics and pharmacokinetics of AHR-11748, a new antiepileptic agent, in rodents, 185

Kälviäinen, R., Keränen, T., Mustonen, J., Länsimies, E. and Riekkinen, P.J., Autonomic nervous system function in Baltic myoclonus epilepsy, 251
Kapetanovic, I.M., Gennings, C., Torchin, C.D. and Kupferberg, H.J., Antagonism between intracerebroventricularly administered *N*-methyl-D-aspartate and bicuculline methiodide in induction of clonic seizures in mice, 112
Kapur, J. and Lothman, E.W., NMDA receptor activation mediates the loss of GABAergic inhibition induced by recurrent seizures, 103
Kendrick, C., see Treiman, D.M., 49
Keränen, T., see Kälviäinen, R., 251
Koerner, M., see Yerby, M.S., 223
Kupferberg, H.J., see Kapetanovic, I.M., 112
Kurland, L.T., see Annegers, J.F., 209

Lamarche, M., see Mondragon, S., 137
Länsimies, E., see Kälviäinen, R., 251
Leavitt, A.M., see Yerby, M.S., 223
Lerner-Natoli, M., see N'Gouemo, P., 92

0920-1211/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Liu, Z., see Depaulis, A., 192
Lorusso, S., see Gallassi, R., 160
Lothman, E.W., see Bertram, E.H., 177
Lothman, E.W., see Kapur, J., 103
Lothman, E.W., see Stringer, J.L., 169
Lugaresi, E., see Gallassi, R., 160

Maldonado, H., see Swartz, B.E., 61, 146
Mandelkern, M., see Swartz, B.E., 61
Marescaux, C., see Depaulis, A., 192
McCormick, K., see Yerby, M.S., 223
McLaughlin, M., see Holmes, G.L., 125
Micheletti, G., see Depaulis, A., 192
Møller, A., Jensen, L.H., Skrumsager, B., Blatt-Lyon, B., Pedersen, B. and Dam, M., Inhibition of photosensitive seizures in man by the β-carboline, ZK 95962, a selective benzodiazepine receptor agonist, 155
Mondragon, S. and Lamarche, M., Suppression of motor seizures after specific thalamotomy in chronic epileptic monkeys, 137
Morimoto, K., see Sato, K., 117
Morreale, A., see Gallassi, R., 160
Moshé, S.L., see Wurpel, J.N.D., 1
Mumford, J., see Ben-Menachem, E., 240
Mustonen, J., see Kälviäinen, R., 251

Nakamoto, Y., Nakayama, S. and Suzuki, J., Cerebral uptake of [^{14}C]deoxyglucose during the entire seizure and the recovery period in an El mouse, 43
Nakamura, Y., see Sato, K., 117
Nakayama, S., see Nakamoto, Y., 43
N'Gouemo, P., Lerner-Natoli, M., Rondouin, G., Watanabe, K., Sandillon, F., Privat, A. and Baldy-Moulinier, M., Catecholaminergic systems and amygdala kindling development. Effects of bilateral lesions of substantia nigra dopaminergic or locus coeruleus noradrenergic neurones, 92
Nistri, A., see Cherubini, E., 18

Okamoto, M., see Sato, K., 117
Osman, M.A., see Johnson, D.N., 185
Otsuki, S., see Sato, K., 117

Patsalos, P.N., Russell-Jones, D., Finnerty, G., Sander, J.W.A.S. and Shorvon, S.D., The efficacy and tolerability of chewable carbamazepine compared to conventional carbamazepine in patients with epilepsy, 235
Pedersen, B., see Møller, A., 155
Persson, L., see Ben-Menachem, E., 240
Privat, A., see N'Gouemo, P., 92
Procaccianti, G., see Gallassi, R., 160

Quinones, N., see Swartz, B.E., 61

Ramzan, I., Pharmacodynamics of phenytoin-induced ataxia in rats, 80
Riekkinen, P.J., see Kälviäinen, R., 251
Rodrigues de Miranda, J.F., see Van Rijn, C.M., 199
Rondouin, G., see N'Gouemo, P., 92
Ropchan, J., see Swartz, B.E., 61
Rovira, C., see Cherubini, E., 18
Russell-Jones, D., see Patsalos, P.N., 235

Sander, J.W.A.S., see Patsalos, P.N., 235
Sandillon, F., see N'Gouemo, P., 92
Sato, K., Morimoto, K., Okamoto, M., Nakamura, Y., Otsuki, S. and Sato, M., An analysis of anticonvulsant actions of GABA agonists (progabide and baclofen) in the kindling model of epilepsy, 117
Sato, M., see Sato, K., 117
Savage, D.D., see Chen, M.J., 85
Sells, C.J., see Yerby, M.S., 223
Senanayake, N., 'Eating epilepsy' — a reappraisal, 74
Seregi, A., Folly, G., Heldt, R., Vizi, E.S. and Hertting, G., Differential prostaglandin formation induced by convulsions in the brain of mice susceptible (DBA/2J) and resistant (CFLP) to acoustic stimulation, 131
Shorvon, S.D., see Patsalos, P.N., 235
Shorvon, S.D., see Yepez-Lasso, R., 247
Skrumsager, B., see Møller, A., 155
Sperber, E.F., see Wurpel, J.N.D., 1
Stringer, J.L. and Lothman, E.W., Maximal dentate activation: a tool to screen compounds for activity against limbic seizures, 169
Suzuki, J., see Nakamoto, Y., 43
Swann, J.W., see Chesnut, T.J., 8
Swartz, B.E., Halgren, E., Delgado-Escueta, A.V., Feldstein, P., Maldonado, H. and Walsh, G.O., Multidisciplinary analysis of patients with extratemporal complex partial seizures. II. Predictive value of semiology, 146
Swartz, B.E., Halgren, E., Delgado-Escueta, A.V., Mandelkern, M., Feldstein, P., Maldonado, H., Ropchan, J., Blahd, W., Walsh, G.O., Quinones, N. and Gee, M., Multidisciplinary analysis of patients with extratemporal complex partial seizures. I. Intertest agreement, 61
Swinyard, E.A., see Johnson, D.N., 185

Thompson, J.L., see Holmes, G.L., 125
Torchin, C.D., see Kapetanovic, I.M., 112
Touchon, J., see Valmier J., 229
Treiman, D.M., Walton, N.Y. and Kendrick, C., A progressive sequence of electroencephalographic changes during generalized convulsive status epilepticus, 49
Treiman, D.M., see Walton, N.Y., 165

Valmier, J., Touchon, J., Blayac, J.P. and Baldy-Moulinier, M., Initiation of carbamazepine therapy in partial epilepsy: a regional cerebral blood flow study, 229
Van Allen, M., see Yerby, M.S., 223
Van der Velden, T.J.A.M., see Van Rijn, C.M., 199
Van Rijn, C.M., Van der Velden, T.J.A.M., Rodrigues de Miranda, J.F., Feenstra, M.G.P., Hiel, J.A.P. and Hommes, O.R., Folates: epileptogenic effects and enhancing effects on [^{3}H]TBOB binding to $GABA_A$-receptor complex, 199
Vergnes, M., see Depaulis, A., 192
Vigil, A., see Chen, M.J., 85
Vizi, E.S., see Seregi, A., 131

Walsh, G.O., see Swartz, B.E., 61, 146
Walton, N.Y. and Treiman, D.M., Efficacy of ACC-9653 (a phenytoin prodrug) in experimental status epilepticus in the rat, 165
Walton, N.Y., see Treiman, D.M., 49
Warter, J.M., see Depaulis, A., 192
Watanabe, K., see N'Gouemo, P., 92
Weiss, G.K., see Chen, M.J., 85
Wurpel, J.N.D., Sperber, E.F. and Moshé, S.L., Baclofen inhibits amygdala kindling in immature rats, 1
Yepez-Lasso, R., Duncan, J.S. and Shorvon, S.D., Suppression of inter-ictal spikes by CM40907. A double-blind placebo-controlled investigation and review of spike counting as a methodology for assessing the antiepileptic effect of drugs, 247
Yerby, J.A., see Yerby, M.S., 223
Yerby, M.S., Friel, P.N., McCormick, K., Koerner, M., Van Allen, M., Leavitt, A.M., Sells, C.J. and Yerby, J.A., Pharmacokinetics of anticonvulsants in pregnancy: alterations in plasma protein binding, 223